CONFIDENTIAL

0:	• • •	DATE 20 M	y 1958	
		and the state of the	क्रमा १८ इप	
TENTION: DBJECT: Work Order No. 2 Change No. Contractor's No. RD-145	ORIG CENT ORIG GLAS 5, T.O. 2	035 07 3 035 07 3 036 07 3 0 000 3 0 000 000 201	6.773 02	
u are hereby sutherized to pro- low, subject to the terms and	ceed with the perfo	rmance of the wo urrent contract.	rk outlined	
WORK DESCRIPTION	QUANTITY	ESTIMATED COMPLETION DATE	FOB POINT	
pricate transistorized video plifiers in accordance with seification outlined on Work tachment A.	10 each	4 Eugust 158	Customer's Premises	
	is classified S	h the contract as	nd/or equipment 25	X1
reakdown of Estimated Cost () Sec	is classified S			5X1
OTAL FUNDS AUTHORIZED TO DATE FO NCREASE OR DECREASE AUTHORIZED F	DR WORK ORDER NO.	2 \$ 5,405 \$ None		5X1
OTAL FUNDS AUTHORIZED TO DATE FOR INCREASE OR DECREASE AUTHORIZED IN NET TOTAL OTHING contained hereon may be a	OR WORK ORDER NO.	\$ 5,405 \$ None \$ 5,405 total shown abo		6X1
OTAL FUNDS AUTHORIZED TO DATE FOR INCREASE OR DECREASE AUTHORIZED FOR INCREASE OF TOTAL OTHER CONTRACTOR OF THE PROPERTY OF TH	OR WORK ORDER NO. BY THIS CHANGE NO. Litered nor may the undersigned or h Charge Allotment	\$ 5,405 \$ None \$ 5,405 total shown aboris agent. BY	ve be exceeded	6X1
OTAL FUNDS AUTHORIZED TO DATE FOR INCREASE OR DECREASE AUTHORIZED IN NET TOTAL Othing contained hereon may be a sithout prior authorization of the state of the s	OR WORK ORDER NO. BY THIS CHANGE NO. Litered nor may the ne undersigned or h Charge Allotment Charge Allotment The states of the limited States The state of t	\$ 5,405 \$ None \$ 5,405 total shown aboris agent. BY	ve be exceeded	
Nothing contained hereon may be a without prior authorization of the	OR WORK ORDER NO. BY THIS CHANGE NO. Litered nor may the ne undersigned or h Charge Allotment Charge Allotment Charge Allotment The the limited States The and 794, the transcription profit is prohibited by law. The prohibited by law.	\$ 5,405 \$ None \$ 5,405 total shown aboris agent. BY	ve be exceeded	

Declassified in Part - Sanitized Copy Approved for Release 2012/02/16 : CIA-RDP78-03424A001200020019-8



WORK ATTACHMENT A

Specifica	ti	ons	3
-----------	----	-----	---

General

- 1. The transistorized amplifier unit will incorporate a pulse amplifier; and a separate audio preamplifier in accordance with engineering drawings supplied by the contracting organization.
- 2. Etched circuitry will be used throughout and all parts will be of . miniature or, whenever possible, subminiature configuration. The transistors will receive an incoming inspection to insure the use of those having a 12 db minimum noise figure, and a minimum beta of 20, as claimed by the manufacturer. The transictors will be mounted in clips and the clips will be grounded.
- 3. A 9 pin receptacle at the back of the unit will accommodate all connections to the amplifier with the exception of the input connection.

25X1

25X1

Specific B.

1. Electrical

a) Sensitivity:

Bandwidth: 50 cps to 1 mcs.

Power Consumption: Total of 60 milliwatts

Number of transistors: 12

30 to 50 Pulse stretch:

Output Impedance: 30,000 ohms

g) Output Level: Approximately 3 volts RNS with a -42 dbm input

Physical

5-1/2" x 1-1/2" x 15/16" (excluding front a) Size:

panel)

3-1/4 ounces b) Weight:

IPC 46025 c) Input Connector

Declassified in Part - Sanitized Copy Approved for Release 2012/02/16 : CIA-RDP78-03424A001200020019-8

CONFIDENTIAL

d) Output Connector

Winchester receptacle SMRE 145-G

C. Assembly

- 1. The amplifiers will be constructed in accordance with the drawings supplied by the contracting organization. The amplifier shall be mounted finally in the case to provent damages. Care should be exercised in assembling the units to insure a proper match between the rear receptable and the fixed plug on the auxilliary recorder.
- 2. Vibration and shock: Special precaution must be taken in the fabrication of this equipment to insure maximum protection from vibration and shock encountered in shipping and normal field usage by atracast, motor vehicles, etc.

D. Testing

 The completed units will be tested in conjunction with the GFE recorder to insure that the above specifications have been met.

Government Furnished Equipment

1. The following equipment will be supplied to the contractor in support of this work order:

one (1), Video wire recorder (including amplifier) w/earphones and microphone.

One (1), complete set of engineering drawings, both mechanical and electrical, including a printed circuit negative.

One (1), Instruction book for the Video Recorder Unit.

F. Deliverable Items:

Ten (10), transistorized video amplifier units.reproducible manufacturing drawings of any unusual parts.

G. Security Classification

The equipment is UNCLASSIFTED, however, the association of the equipment with the contract and/or the contracting organization is classified SECRET.

